


## CLAIMS


1) In all possible isomer forms as well as their mixtures, the compounds of formula (I):



in which

20 either  $R_1$  represents a hydrogen atom or a methyl radical.

$R_2$  represents a cyclohexyl radical substituted by an amine, a  $\text{CH}_2\text{CH}_2\text{NHCH}_3$  radical, a  $\text{CH}_2\text{CHCH}_3\text{NH}_2$  radical, a



radical, a  $\text{CHCH}_3\text{CH}_2\text{NH}_2$  radical, a  $-(\text{CH}_2)_a\text{OH}$  radical, a  
 35 representing an integer comprised between 1 and 8, a  $(\text{CH}_2)_b-$   
 $\text{C}\equiv\text{N}$  radical

b representing an integer comprised between 1 and 8, a  
 $\text{CHCH}_3\text{C}_6\text{H}_5$  radical, a  $(\text{CH}_2)-\text{C}(\text{CH}_3)_2\text{NHCOCF}_3$  radical, a

CHCH<sub>3</sub>(CH<sub>2</sub>)<sub>d</sub>OH radical, d representing an integer comprised between 1 and 8

or R<sub>1</sub> and R<sub>2</sub> together with the nitrogen which carries them form a ring with 3, 4 or 5 carbons optionally substituted by an amine

R<sub>3</sub> represents a hydrogen atom, a methyl or hydroxyl radical

R<sub>4</sub> represents a hydrogen atom or a hydroxyl radical

R represents a linear or branched or cyclic chain containing up to 30 carbon atoms, optionally containing one or more

heteroatoms, one or more heterocycles or a linear, branched or cyclic acyl radical containing up to 30 carbon atoms optionally containing one or more heteroatoms and/or one or more heterocycles,

T represents a hydrogen atom, a methyl radical, a CH<sub>2</sub>CONH<sub>2</sub>,

CH<sub>2</sub>C≡N radical, a (CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub> or (CH<sub>2</sub>)<sub>2</sub>Nalk<sup>+</sup>X<sup>-</sup> radical, X being a halogen atom and alk an alkyl radical containing up to 8 carbon atoms,

Y represents a hydrogen atom, a hydroxyl radical or a halogen atom or an OSO<sub>3</sub>H radical or one of the salts of this radical,

W represents a hydrogen atom or an OH radical,

Z represents a hydrogen atom or a methyl radical,

as well as the addition salts with acids of the products of formula (I).

**2)** The compounds of formula (I) defined in claim 1 in which T represents a hydrogen atom.

**3)** The compounds of formula (I) defined in claim 1 or 2 in which W represents a hydrogen atom.

**4)** The compounds of formula (I) defined in any one of claims 1 to 3, in which Z represents a methyl radical.


**5)** The compounds of formula (I) defined in any one of claims 1 to 4 in which Y represents a hydrogen atom.








**6)** The compounds of formula (I) defined in any one of claims 1 to 5 in which R<sub>3</sub> represents a methyl radical.

**7)** The compounds of formula defined in any one of claims 1 to 6 in which R<sub>4</sub> represents a hydroxyl radical.

8) The compounds of formula (I) defined in any one of claims 1 to 7 in which R represents a


5






radical.

- 9) The compounds of formula (I) defined in claim 8, in which R represents a



chain.

- 10) The compounds of formula (I) defined in claim 8, in which R represents a





chain.

- 11) The compounds of formula (I) defined in any one of claims 1 to 10 in which R<sub>1</sub> is a hydrogen atom.


**12)** The compounds of formula (I) defined in any one of claims 1 to 11 in which R<sub>2</sub> is a



**13)** The compounds of formula (I) defined in any one of claims 1 to 11 in which R<sub>2</sub> is a



**14)** The compounds of formula (I) defined in any one of claims 1 to 11 in which R<sub>2</sub> is a




radical.

**15)** The compounds of formula (I) defined in any one of claims 1 to 14 the names of which follow:

- 30
- 1-[4-[[ (1H-benzimidazol-2-yl)-methyl)-amino]-N<sub>2</sub>-[[4''-(pentyloxy)[1,1':4',1''-terphenyl]-4-yl]-carbonyl]-L-ornithine]-4-[4-(4-hydroxyphenyl)-L-threonine]5-L-serine-echinocandine B trifluoroacetate (isomer B),
  - 35 - trans 1-[4-[(2-aminocyclo-hexyl)-amino]-N<sub>2</sub>-[[4''-(pentyloxy)[1,1':4',1''-terphenyl]-4-yl]-carbonyl]-L-ornithine]-4-[4-(4-hydroxyphenyl)-L-threonine]-5-L-serine-echinocandine B trifluoroacetate (isomer A).

**16)** Process for the preparation of compounds of formula (I) defined in any one of claims 1 to 15 characterized in that a compound of formula (II)



in which R, R<sub>3</sub>, R<sub>4</sub>, T, Y, W and Z retain their previous meaning, is subjected to the action of an amine or amine  
20 derivative capable of introducing

the  $\begin{array}{c} \text{R}_1 \\ \diagup \\ \text{N} \\ \diagdown \\ \text{R}_2 \end{array}$  radical in which R<sub>1</sub> and R<sub>2</sub>

25 retain their previous meaning and if desired to the action of a reducing agent  
and/or an amine functionalization agent,  
and/or an acid in order to form the salt of the product obtained,

30 and/or a separation agent of the different isomers obtained,  
and the sought compound of formula (I) is thus obtained.

**17)** As antifungal compounds, the compounds of formula (I) defined in any one of claims 1 to 15, as well as their addition salts with acids.

35 **18)** The pharmaceutical compositions containing at least one compound of formula (I) defined in any one of claims 1 to 15 as a medicament, as well as their addition salts with pharmaceutically acceptable acids.